CUMULATIVE AUTHOR INDEX
Journal of Economic Entomology
Volume 88, 1995

A

Abd-Elghafar, S. F., 1580
Abel, C. A., 1044
Adams, C. J., 1263
Ahmad, M., 771
Ahmad, Z., 771
Alexander, S. D., 1433
Allsopp, P. G., 1301
Alm, S. R., 1257
Anderson, A., 1545
Andis, M., 937
Anwar, M. N., 175
Appel, A. G., 307, 907, 924
Arbogast, R. T., 241
Argauer, R., 1602
Arif, M. I., 771
Armstrong, J. W., 678, 683
Arnason, J. T., 1482
Arthur, F. H., 1764
Assabgui, R. A., 1482
Attaway, J. A., 669
Avilla, C., 986

B

Baker, J. E., 232, 241, 512, 1510, 1513, 1570
Baker, T. C., 864
Baker, R. T., 441
Baldwin, E. A., 1353
Ban, P. M., 932, 1343
Baranchikov, Y. N., 337
Barbercheck, M. E., 1754
Barbosa, P., 1388
Barry, B. D., 1801
Bartels, D. W., 246, 380
Bartelt, R. J., 864
Barthell, J. F., 51
Bauce, É., 640
Baumgärtner, J., 1296
Bayoun, I. M., 1177
Bazar, A., 415
Beasley, C. A., 1263
Beers, E. H., 973, 998
Beevor, P. S., 65
Ben-Yakir, D., 415
Bennett, G. W., 536
Benson, E. P., 307, 907, 924
Bentz, J.-A., 1388, 1611
Berberet, R. C., 1461
Bernard, G., 1203
Berry, N. A., 1171
Bethke, J. A., 387
Beti, J. A., 1776
Biddinger, D. J., 358, 708
Björkman, T., 1739
Bjostad, L. B., 716
Blank, R. H., 1634
Bledsoe, L. W., 175
Blodgett, S. L., 398
Boethel, D. J., 1536
Boivin, G., 1401
Bolin, P. C., 246
Boling, J. A., 1679
Bonato, O., 1296
Borek, V., 793, 1192
Boxler, D. J., 1349
Bradley, Jr., J. R., 1316
Brewer, M. J., 897
Briano, J., 1233
Brown, M. W., 127, 1012
Brown, J. M., 1164
Brown, S. A., 678
Brown, P. D., 793
Brun, L. O., 470
Brust, G. E., 112
Bull, D. L., 27, 1186, 1271
Bumgarner, L., 1545
Burg, J. G., 654, 1679
Burgess, E.P.J., 46
Burke, R. A., 835
Burns, E., 669
Burris, E., 505
Butaye, L., 600
Butôt, R.P.T., 1746
Butts, R. A., 725
Byers, R. A., 407
Byford, R. L., 320
Byrne, D. N., 1393

C

Cabana, J., 640
Cabanillas, H. E., 58
Caddel, J. L., 1461
Calderone, N. W., 805, 1211
Calvin, D. D., 1243, 1616
Campbell, C. A., 1353
Campbell, C. D., 246
Campbell, J. B., 1349
Campbell, J. W., 320
Campos, F., 225
Caprio, M. A., 205
Cardé, R. T., 337
Carlson, D. G., 864
Carpenter, J. E., 1037
Carson, W. G., 742
Carter, J. L., 890
Castañé, C., 70
Catangui, M. A., 1349
Chan, Jr., H. T., 85, 569
Chandler, K. J., 1301
Chaney, W. E., 294
Charles, J.-F., 525
Chen, M. 415
Chew, V., 1510
Chien, C.-I., 768
Chilcutt, C. F., 11
Cho, K., 1658
Cho, J. J., 1057
Christeller, J. T., 33, 46
Cilek, J. E., 520, 654
Cochran, D. G., 1542
Cochrane, B. J., 1138
Cohen, D. E., 742
Cohen, E., 1158
Cokmus, C., 830
Collar, J. L., 986
Converse, V., 815
Cordo, H., 1233
Cornelissen, M., 1469
Cowgill, S. E., 1783
Cowley, J. M., 441
Cox, D. L., 708, 1415
Crane, S. E., 1120, 1129

Crenshaw, R. W., 1197
Croft, B. A., 1517
Crozier, L. M., 134
Crutchfield, B. A., 1049, 1380
Curtis, D. J., 1560

D

Dahlman, D. L., 520
Danielson, S. D., 1441
Danka, R. G., 584
Darrah, L. L., 1801
Daterman, G. E., 106
Dauterman, W. C., 237, 551, 768
Davidson, A. W., 367
Davis, R. W., 574
Davis, P. M., 1324
Davis, J. H., 1455
Davis, F. M., 185
Day, M. L., 1012
de Jager, C. M., 1746
De León, T., 1596
De Clercq, R., 1469
De Cock, A., 763
De Farias, A.M.I., 169
Degheele, D., 40, 600, 763, 777
Degrandi-Hoffman, G., 965
Delaplane, K. S., 1206
Delatte, G. T., 584
Dennehy, T. J., 1120, 1129
Derksen, R. C., 1113
Derouen, S. M., 666
Dornan, A. P., 302
Drake, S. R., 973
Drummond, J., 1607
Duan, J. J., 117, 700
Dueben, B. D., 1307
Duque, M., 986
Dybas, R. A., 225, 708, 1415

E

Eckel, C. S., 1316, 1658
Elberson, L. R., 1192
Elçin, Y. M., 830
Elden, T. C., 430, 1586
Elsner, E. A., 973
Elzen, G. W., 198, 505, 1144
Epsky, N. D., 1307
Escandón, M. L., 1477
Estabrooks, E. N., 134

F

Felland, C. M., 1004
Fereres, A., 986
Ferguson, C. S., 859
Fernandez, G.C.J., 1316
Ferro, D. N., 870
Fields, P. G., 1024
Finson, N., 219
Fitzpatrick, S. M., 610, 1017
Fleischer, S. J., 1616
Fleischer, S., 1069, 1650
Flexner, J. L., 1517
Flint, H. M., 1666
Foil, L. D., 81, 666
Fondrk, M. K., 51
Fontes, E. G., 1256
Foster, R. E., 112, 162
Fournier, F., 1401
Francis, B., 1388
Fraser, S., 669
Fryxell, K. J., 1221
Fuchs, T. W., 198
Fuller, M., 134

G

Gabarra, R., 70
Gaudichon, V., 470
Gaul, S. O., 134
Ge, X., 1771
Gelernter, W. D., 1
Giacon, H. A., 46
Gibson, D. M., 270
Gilboa, S., 1332
Gill, R. F., 734
Gill, G.S.C., 1634
Gillespie, D. R., 288
Gilstrap, F. E., 1177
Godfrey, L. D., 294, 1445
Goettel, M. S., 810
Goodwin, S., 1106
Gordon, D. M., 51
Gottwald, T. R., 148
Gough, N., 1106
Gould, F., 1545
Grafton-Cardwell, E. E., 495, 897, 1717
Graves, J. B., 505
Greenspan Gallo, L., 270
Greenstone, M. H., 213
Grosman, D. M., 1703
Guertin, C., 640
Gutierrez, J., 1296
Guzman, A., 1307

H

Hain, F. P., 543, 551, 558
Halaj, J., 140
Halbert, S. E., 635
Hall, F. R., 447, 461
Hallford, D. M., 320
Hallman, G. J., 1353
Hamilton, R. I., 1482
Hammock, B. D., 259
Hammond, R. B., 175
Hara, A. H., 393
Hardee, D. D., 77, 749
Hare, J. D., 1787
Harper, S. M., 1197
Harte, D. S., 441
Hastings, F. L., 543, 551, 558
Hata, T. Y., 393
Haynes, J. W., 1631
He, Y., 1626
Head, G., 447, 461, 480
Heath, R. R., 1307
Heatwole, C. D., 944
Heckel, D. G., 219
Hein, G. L., 1445
Heinz, K. M., 259, 1494
Henneberry, T. J., 835, 1263, 1666
Herbert, Jr., D. A., 1754
Herrmann, R., 259
Herron, G., 1106
Hibbard, B. E., 716
Hickle, L. A., 1
Higbee, B. S., 1420

Higgins, R. A., 398
Higley, L. G., 1441
Hill, B. D., 725
Hill, R. A., 1566
Hilton, R., 1517
Hilton, R. J., 140
Hinkle, N. C., 903
Hoffmann, M. P., 1324
Hogmire, H. W., 127, 1012
Hogsette, J. A., 1238
Holsten, E. H., 543
Hopper, K. R., 169
Horton, D. R., 1420
Hower, A. A., 1433
Hoy, C. W., 461, 480, 447
Hoy, M. A., 205
Hsu, C.-L., 1279
Hu, B.K.S., 393, 678
Huang, H., 1408
Huddleston, E. W., 1455
Huffman, R. L., 198
Hull, L. A., 358, 708, 998, 1004
Hulme, M. H., 1525
Humble, L. M., 337
Hutchison, W. D., 246, 380
Hwang, S. Y., 278

I

Ibarra, J. E., 1596
Ishaaya, I., 763
Isman, M. B., 610, 1024
Itou, K., 1626

J

Jang, E. B., 569
Jansens, S., 1469
Jech, L. F., 835
Jenkins, J. N., 185
Jensen, K. B., 1503
Jepson, P. C., 1081
Jewett, D. K., 716
Johnson, M. W., 192, 475, 788
Johnson, J. A., 734
Jona, G., 1158
Jones, R. G., 1631
Jones, V. M., 1356
Jones, V. P., 1337

K

Kamble, S. T., 574
Kanagaratnam, P., 815
Kaneko, R. T., 393
Kanga, L.H.B., 198, 487, 1144, 1150
Karl, A. K., 1566
Karner, M. A., 198
Keever, G. J., 307, 907
Kelley-Tunis, K. K., 937
Kennedy, G. G., 454, 1316, 1658
Kenworthy, W. J., 430
Ketchum, R.E.B., 270
Kindler, S. D., 1503
Kirkwyland, J. J., 1324
Klinkhamer, P.G.L., 1746
Knapp, F. W., 520, 654, 1679
Knight, A. L., 708
Knowles, C. O., 531, 1164, 1580
Knox, J. W., 666
Koehler, P. G., 903, 918, 1684
Kotze, A. C., 782, 1607
Krasnoff, S. B., 270
Kreiter, S., 1097
Kreowski, W. B., 140
Krupa, D. A., 225
Krysan, J. L., 1420
Kumar, N.K.K., 1057

L

Laing, W. A., 33, 46
Lalah, J. O., 768
Lapointe, S. L., 1477
Lasota, J. A., 708, 1415
Laster, M. L., 77, 1288
Lawson, D. M., 742
Le Conte, Y., 798
Leath, K. T., 1433
Leclant, F., 169
Leesch, J. G., 326
Leonard, B. R., 505
Lester, P. J., 1361
Levin, R. E., 337
Levot, G. W., 1607
Li, D., 965
Li, S. Y., 610
Liedl, B. E., 742
Lindegren, J. E., 835
Lindroth, R. L., 278
Lingren, P. D., 1271
Liquido, N. J., 85
Littell, R. C., 669
Liu, T.-X., 564, 992
Liu, Y.-B., 788
Liu, W., 531, 1164
Long, J. W., 1120, 1129
Lopez, Jr., J. D., 1144, 1271
López, R., 870
Lorimer, S. D., 1566
Losey, J. E., 1243
Lysyk, T. J., 659

M

Mack, T. P., 307, 606, 907
Maczuga, S. A., 1376
Maindonald, J. H., 1356, 1365
Malone, L. A., 46
Manukian, A., 1307
Marini, R. P., 959
Markwick, N. P., 33
Martin, S. H., 505
Martinez, A. J., 628
Martinez-Carrillo, J. L., 198
Maurice, C., 1017
Maxwell, J. Z., 46
Mayer, D., 965
Mayer, D. F., 1081
McCaffrey, J. P., 793, 1192
McClellan, Q. C., 1703
McCoy, C. W., 1120, 1129
McCullough, D. G., 693
McCutchen, B. F., 259
McGovern, W. L., 1631
McGuire, R. G., 1353
McHugh, Jr., J. J., 162
McLeod, C. D., 1203
McNiel, R. E., 979
McQuate, G. T., 85

Meade, T., 1787
Meinke, L. J., 1445
Meredith, Jr., W. R., 749
Mertz, B. P., 1616
Meyer, W. L., 1307
Michels, Jr., G. J., 1177
Micinski, S., 505
Mierzejewski, K. J., 1376
Miles, J. W., 1477
Millar, J. G., 1425
Miller, T. A., 1221
Milliken, G. A., 398
Miyata, T., 1626
Moar, W. J., 606
Moar, W., 1545
Moellenbeck, D. J., 1801
Monahan, J. F., 558
Montgomery, M. E., 278
Morra, M. J., 793, 1192
Morrill, W. L., 1466
Morris, O. N., 815
Morrison, D. G., 81
Motoyama, N., 768
Mowry, T. M., 635
Moye, H. A., 918, 1684
Mullins, M. A., 1197
Mutschler, M. A., 742

N

Naranjo, S. E., 1666
Neal, Jr., J. W., 1611
Neilson, W.T.A., 134
Neven, L. G., 1371
Ng, S. S., 1
Nielsen-Leroux, C., 525
Nigg, H. N., 669
Nishida, T., 620
Niwa, C. G., 955
Nyrop, J. P., 875
Nystrom, C. W., 97

O

O'Connor, G. M., 1365
Olson, M. H., 1634
Omoto, C., 1120, 1129

P

Page, Jr., R. E., 51
Palumbo, J. C., 1393, 1726, 1733
Parducho, M., 1466
Parker, R., 1106
Parrella, M. P., 259
Patterson, R. S., 903
Patterson, R., 1233
Payne, T. L., 1703
Peairs, F. B., 716
Peferoen, M., 1469
Pelletier, Y., 1203
Perez, C. J., 1113
Perez, P., 986
Perez-Eguia, E., 320
Perry, N. B., 1566
Peters, D. C., 421
Peterson, R.K.D., 1441
Petroski, R. J., 864
Petry, R. J., 1361
Pfeiffer, D. G., 959
Phillips, T. W., 1776
Pike, K. S., 635
Pikounis, B., 708
Pilcher, S. D., 716
Pinnock, D. E., 1607
Pires, C.S.S., 1256
Plapp, Jr., F. W., 198, 254, 487, 1144, 1150, 1177
Podoler, H., 1332
Poitout, S. H., 798
Polk, D. F., 1004
Porter, D. R., 1032
Potter, D. A., 367, 846, 979, 1049, 1380
Prabhakaran, S. K., 574
Preisler, H. K., 1
Preisler, H., 470
Privalle, L. S., 1197
Prokopy, R. J., 117, 700
Proshold, F. I., 644
Pusztai-Carey, M., 606
Puterka, G. J., 421, 615

Q

Qui, C., 536
Quinn, M. A., 1433

R

Rahardja, U., 21
Ranger, S., 127
Rao, H., 1591
Rathman, R. J., 475
Raulston, J. R., 58
Ravlin, F. W., 890
Reagan, C. A., 1717
Redak, R. A., 387
Redmond, C. T., 846
Reeves III, J., 1388
Regis, L., 525
Rehfield, L. M., 1371
Reid, B. L., 536, 937
Reid, S. J., 33
Remick, M. D., 1415
Reynaerts, A., 1469
Reynolds, A., 1545
Richmond, R. C., 1138
Rida, G. S., 1466
Ridgway, R. L., 1616
Riedl, H., 140
Riley, D. G., 1726, 1733
Riley, P. J., 320
Rinderer, T. E., 584
Ringo, J., 1158
Rinkleff, J. H., 246
Robbins, J. C., 1044
Robertson, J. L., 1, 470
Rockwell, R., 1158
Rodriguez-del-Bosque, L. A., 628
Rohitha, B. H., 1566
Rophail, J., 1106
Ross, D. W., 106
Roush, R. T., 470

S

Sacilik, S. C., 830
Sales, N., 782
Salom, S. M., 1703
Sanderson, J. P., 343, 352
Sastrodihardjo, S., 283
Satoh, G. T., 254
Saunders, M. C., 1408
Schaalje, G. B., 725
Scharf, M. E., 536
Scheffrahn, R. H., 649, 32,

1343, 1690
Schiff, N. M., 1216
Schmaedick, M. A., 875
Schmidt, J. O., 1591
Schmidt, L. S., 1591
Schmitt, J. J., 127
Schroeder, M. E., 716
Schroeder, P. C., 859
Sears, M. K., 302
Sebesta, E. E., 1032
Segal, D., 1158
Severson, R. F., 615
Shapiro, M., 265, 1602
Shapiro, J. A., 742
Shapiro, J. P., 148
Sharp, J. L., 688
Shelton, A. M., 1113
Sheng, C. F., 1288
Shepard, B. M., 1466
Sheppard, D. C., 1531
Sheppard, W. S., 1216
Shetlar, D. J., 1292
Shields, K. S., 278
Shields, E. J., 859
Shimanuki, H., 805
Shishido, V. M., 683
Silva, S. T., 683
Silva-Filha, M.-H., 525
Simpson, S. E., 669
Slosser, J. E., 254
Smagghe, G., 40, 777
Smalley, E. B., 1776
Smilowitz, Z., 1069, 1408, 1650
Smith, Jr., J. W., 628
Smith II, L. M., 307, 907
Smith, J. W., 1631
Smitley, D. R., 693
Snook, M. E., 755, 1795
Sorenson, C. E., 1316
Sotelo, G., 1477
Speese III, J., 155
Spencer, J. P., 1279
Spicer, P. G., 979
Spivak, M., 1211
Spollen, K. M., 192, 475
Springer, T. L., 1503
Sreng, L., 798
Stansly, P. A., 564, 992
Stark, J. D., 1081, 1089
Stevenson, S., 1560
Stewart, R. K., 1401
Stewart, J. G., 302
Su, N.-Y., 649, 932, 1343, 1690
Suckling, D. M., 470
Sujii, E. R., 1256

T

Tabashnik, B. E., 11, 97, 192, 475, 788, 219
Tang, Y. Q., 840
Taylor, J. T., 1566
Tedders, W. L., 1641
Tenbrink, V. L., 393
Terry, I., 965
Teulon, D.A.J., 1004
Thacker, J.R.M., 1560
Thomas, G. D., 1349
Thomas, J. D., 1536
Thompson, D. C., 1455
Thoms, E. M., 932
Thorp, R. W., 51
Throne, J. E., 512, 1510, 1513, 1570
Tonhasca, Jr., A., 1393
Torell, L. A., 1455
Troubridge, J. T., 1017
Trudel, R., 640
Trumble, J. T., 742, 897
Tsubaki, Y., 1626
Turpin, J. M., 666

U

Ullman, D. E., 1057
Usmani, K. A., 1580

V

Vail, K. M., 1695
Van De Veire, M., 763
Vandenberg, J. D., 592, 810
van den Heuvel, J., 331, 1365
Van Der Meijden, E., 1746
Van Duyn, J. W., 1316
van Frankenhuyzen, K., 97
Van Laecke, K., 777
Vargas, R. I., 620, 1279
Varis, A.-L., 855
Vaughn, J. L., 265
Vehrs, S.L.C., 495
Vencill, A. M., 155, 944
Vernon, R. S., 288, 579, 864
Vidal, C., 1097
Villa, J. D., 584
Villavaso, E. J., 1631
Visscher, P. K., 579

W

Waddell, B. C., 1356
Walgenbach, J. F., 1658
Wall, M. L., 198, 1144
Wallner, W. E., 337
Walsh, W. A., 620, 1279
Wang, W., 1591
Wang, S. C., 237
Warrick, Jr., W. C., 1754
Washington, F., 1238
Weathersbee III, A. A., 749
Weaver, D. K., 512, 1510, 1513
Webster, J. A., 1032
Weigmann, U., 1171
Weisz, R., 1069, 1650
Welker, R. M., 959
Wellham, T., 1106
Wennergren, U., 1089
Werner, R. A., 543
Westigard, P. H., 140, 1517
Weston, P. A., 1771
Whalon, M. E., 21, 454
Wheeler, G. S., 649, 1690
White, A. J., 1171
White, K. K., 742
White, J., 1017
Whitehand, L., 1279
Whiting, D. C., 331, 1365
Wightman, J. A., 1783
Williams, D. F., 1695
Williams III, L., 793
Williamson, R. C., 1292

Willis, D. C., 1679
Wilson, R. L., 755, 1044
Windelspecht, M., 1138
Wiseman, B. R., 755, 1037, 1795
Wofford, P. L., 734
Wood, Jr., E. A., 1032
Wratten, S. D., 1171
Wrensch, D. L., 283
Wright, R. J., 1445

X

Xie, Y. S., 1024
Xu, L., 1591
Xu, G., 27, 1186

Y

Yeh, T., 1257
Yehling, D. M., 283
Yokomi, R. K., 840
Yoshida, N., 1783
Youm, O., 65
Young, S.S.Y., 283
Young, R.D.F., 1560

Z

Zalom, F. G., 70, 1494
Zarrabi, A. A., 1461
Zehnder, G. W., 155, 944
Zettler, J. L., 512
Zhang, Z.-Q., 343, 352
Zhao, G., 531, 1164
Zhong, H., 543, 551, 558

CUMULATIVE SUBJECT INDEX
Journal of Economic Entomology
Volume 88, 1995

A

abamectin, *Blattella germanica*, 924
  insecticidal bait, 924
  Phytoseiulus persimilis, 343
  resistance monitoring, 225
  Tetranychus urticae, 225, 343
Acalymma vittatum, cantaloupe, 112
  semiochemical baits, 112
Acarapis woodi, *Apis mellifera*, 584, 805
  genetic resistance, 584
  pest management, 805
Acari, *Metaseiulus occidentalis*, 205
  plant resistance, 1032
  premating isolation, 205
  wheat streak mosaic, 1032
action threshold level, fruit quality, 959
  Typhlocyba pomaria, 959
acylsugars, insect resistance, 742
  Lycopersicon pennellii, 742
Acyrthosiphon kondoi, biotype, 1461
  Medicago sativa, 1461
adult control, corn earworm, 1271
  feeding behavior, 1271
Aeneolamia varia, *Brachiaria*, 1477
  spittlebug, 1477
Agrotis ipsilon, cultural control, 1292
  turfgrass, 1292
airborne residues, chlorpyrifos, 918
  microencapsulated, 918
alarm behavior, *Bombus sonorus*, 579
  Vespula pensylvanica, 579
alfalfa, clover root curculio, 1433
  insect ecology, 859
  Otiorhynchus ligustici, 859
  Sitona hispidulus, 1433
alfalfa weevil, cysteine, 1586
  proteinase inhibitors, 1586
Allium cepa, economic threshold, 1401
  Thrips tabaci, 1401
allozymes, *Apis mellifera*, 1216
  mitochondrial DNA, 1216
aluminum carboxymethylcellulose encapsulation, *Bacillus sphaericus* 2362, 830
  biological control, 830
Amblyomma americanum, cortisol, 1679
  nitrogen, 1679
Amblyomma maculatum, beef steers, 320
  physiological response, 320
amitraz, *Helicoverpa zea*, 1580
  permethrin, 1580
Anastrepha ludens, *Ceratitis capitata*, 1307
  trapping, 1307
Anastrepha suspensa, attractant, 669
  fruit coating, 1353
  Nu-Lure, 669
  postharvest treatment, 1353
Anisopteromalus, *Bracon*, 232
  resistance, 232
Anthonomus grandis grandis, boll weevil, 198
  insecticide tolerance monitoring, 198
antibiosis, Chrysomelidae, 1482
  deterrent, 1037
  Diabrotica virgifera virgifera, 1482
  Helicoverpa zea, 1037, 1795
  Zea mays, 1795
antibiotics, *Apis mellifera*, 1206
  Varroa jacobsoni, 1206
Aonidiella, buprofezin, 1717
  insecticide resistance, 495
  narrow-range oil, 1717
  scale insects, 495
Aphelinus spiraecolae, *Aphis spiraecola*, 840
  biological control, 840
aphids, celery, 294
  distribution, 294
Aphis, *Diuraphis noxia*,

986
potato virus Y, 986
Aphis gossypii, cotton, 749
host plant resistance, 749
juvenile hormones, 254
piperonyl butoxide, 254
Aphis spiraecola, *Aphelinus spiraecolae*, 840
biological control, 840
Apis mellifera, *Acarapis woodi*, 584, 805
allozymes, 1216
antibiotics, 1206
apple, 965
brood pheromone, 798
endopeptidase inhibitors, 46
Fagopyrum esculentum, 1739
feeding behavior, 798
genetic resistance, 584
mitochondrial DNA, 1216
pest management, 805, 1211
pest-resistant transgenic plants, 46
pollen-hoarding, 51
pollination, 965, 1739
selection, 51
Varroa jacobsoni, 1206, 1211
apple, *Apis mellifera*, 965
avermectins, 708
Cydia Pomonella, 708
economic injury, 127, 973, 998
Edwardsiana rosae, 1012
Eriosoma lanigerum, 127
Panonychus ulmi, 998
pollination, 965
rose leafhopper, 1012
Typhlocyba pomaria, 973
Arachnida, resistance, 1106
Tetranychus urticae, 1106
Ascosphaera aggregata, *Megachile rotundata*, 810
rearing, 810
attractant, *Anastrepha suspensa*, 669
Nu-Lure, 669
attraction, *Carpophilus*, 864
pheromone combination, 864
autocidal biological control, dominant conditional lethal mutation, 1221
Drosophila melanogaster, 1221
avermectins, apple, 708
bioassay, 1415
Cydia Pomonella, 708
Liriomyza trifolii, 1415
Averrhoa carambola, quarantine treatment, 683
tephritid fruit flies, 683
avocado, *Bactrocera dorsalis*, 85
infestation-free quarantine procedure, 85

B

Bacillus sphaericus, *Culex quinquefasciatus*, 525
field resistance, 525
Bacillus sphaericus 2362, aluminum carboxymethylcellulose encapsulation, 830
biological control, 830
Bacillus thuringiensis kurstaki, feeding study, 1376
Lymantria dispar, 1376
Bacillus thuringiensis, *Bovicola (Damalinia) ovis*, 1607
chemical additives, 815
Choristoneura fumiferana, 97, 610
cross-resistance, 1545
Heliothis virescens, 1545
insecticide resistance, 788
larval susceptibility, 610
Leptinotarsa decemlineata, 21
Lymantria dispar, 278
Mamestra configurata, 815
Noctuidae, 270
Phthorimaea operculella, 1469
Plutella xylostella, 788
Populus tremuloides, 278
pyrethroid resistance, 1607

resistance, 21, 97, 454
resistance management, 454
Spodoptera exigua, 1787
tannic acid, 270
transgenic resistance, 1469
Trichoplusia ni, 1787
Bacillus thuringiensis subspecies, *Plutella xylostella*, 1113
resistance, 1113
Bacillus thuringiensis tenebrionis, bioassay, 1596
Leptinotarsa texana, 1596
background color, *Frankliniella occidentalis*, 288
trap shape, 288
Bactrocera dorsalis, avocado, 85
Ceratitis capitata, 620
colonization, 620
infestation-free quarantine procedure, 85
baculovirus, *Lymantria dispar*, 825
methoprene, 825
recombinant nuclear polyhedrosis virus, 259
risk assessment, 259
bait, *Diabrotica virgifera virgifera*, 716
semiochemical, 716
bait station, subterranean termite, 932
termite monitoring station, 932
bark beetles, Christmas trees, 693
Tomicus piniperda, 693
Beauveria bassiana, *Camponotus pensylvanicus*, 937
Metarhizium anisopliae, 937
bee nesting, *Osmia sanrafaelae*, 592
sex ratio, 592
beef steers, *Amblyomma maculatum*, 320
physiological response, 320
beetle monitoring, eugenol, 415
Scarabaeidae, 415
behavior, *Oncastichus goughi*, 387
sampling, 387
behavioral avoidance, genetic correlation, 447
insecticide resistance, 447
behavioral ecology, *Leptinotarsa decemlineata*, 870
Myiopharus doryphorae, 870
behavioral response, insecticide resistance, 461
Plutella xylostella, 461
Bemisia, *Lycopersicon*, 1494
whitefly, 1494
Bemisia argentifolii, *Bemisia tabaci*, 1666, 1726, 1733
cost efficiency, 1666
Cucumis melo, 1726, 1733
nitrogen fertilizer, 1388
oviposition, 992
plant nitrogen, 1388
preference, 70
survivorship, 70
sweetpotato whitefly, 992
Bemisia tabaci, *Bemisia argentifolii*, 1666, 1726, 1733
cantaloupes, 1393
cost efficiency, 1666
Cucumis melo, 1726, 1733
sampling techniques, 1393
benzoylphenyl ureas, *Eulophus pennicornis*, 600
Mamestra brassicae, 600
bet hedging, diapause, 1256
spittlebug, 1256
binomial egg mass sampling, gypsy moth, 890
Lymantria dispar, 890
binomial sampling, cabbage looper equivalent, 302
presence-absence, 897
sequential sampling, 897
threshold, 302
bioassay, avermectins, 1415
Bacillus thuringiensis tenebrionis, 1596
correlated data, 1510
dicofol, 1120
Leptinotarsa texana, 1596
Liriomyza trifolii, 1415
Phyllocoptruta oleivora, 1120
probit analysis, 1510, 1513
transformation, 1513

biodegradable
insecticides, *Heliothis virescens*, 487
insecticide resistance monitoring, 487
biofumigation,
isothiocyanates, 1192
Otiorhynchus sulcatus, 1192
biological control,
aluminum carboxymethylcellulose encapsulation, 830
Aphelinus spiraecolae, 840
Aphis spiraecola, 840
Bacillus sphaericus 2362, 830
corn earworm, 58
European corn borer, 1616
insecticide, 1570
insecticide resistance, 192
Liriomyza, 192, 475
pesticide resistance, 475
predator-prey ratios, 352
resistance, 1570
Steinernema riobravis, 58
Tetranychus urticae, 352
Trichogramma, 1616
biorational insecticides,
Encarsia formosa, 1611
whiteflies, 1611
biotype, *Acyrthosiphon kondoi*, 1461
Medicago sativa, 1461
Blattella germanica,
abamectin, 924
detection methods, 536
insecticidal bait, 924
insecticide resistance, 536
boll weevil, *Anthonomus grandis grandis*, 198
flight, 1631
insecticide tolerance monitoring, 198
sterility, 1631
bollworm, budworm, 213
pyrethroids, 213
Bombus sonorus, alarm behavior, 579
Vespula pensylvanica, 579
Bouteloua gracilis,
forage consumption, 1455
grasshopper, 1455
Bovicola (Damalinia) ovis, *Bacillus thuringiensis*, 1607
pyrethroid resistance, 1607
Brachiaria, *Aeneolamia varia*, 1477
spittlebug, 1477
Bracon hebetor,
protectants, 512
resistance, 512
Bracon,
Anisopteromalus, 232
resistance, 232
Brevipalpus phoenicis,
damage assessment, 283
tea, 283
brood pheromone, *Apis mellifera*, 798
feeding behavior, 798
budworm, bollworm, 213
pyrethroids, 213
buprofezin, *Aonidella*, 1717
cross-resistance, 763
narrow-range oil, 1717
Trialeurodes vaporariorum, 763

C

cabbage looper
equivalent, binomial sampling, 302
threshold, 302
Cacopsylla pyricola,
fenoxycarb, 1420
pyriproxyfen, 1420
spray device, 615
sugar ester, 615
calf weight gain,
fall-calving cows, 81
Haematobia irritans, 81
Camponotus pensylvanicus,
Beauveria bassiana, 937
Metarhizium anisopliae, 937
canonical correlation,
landscape ecology, 307
Periplaneta fuliginosa, 307
cantaloupe, *Acalymma vittatum*, 112
Bemisia tabaci, 1393
sampling techniques, 1393
semiochemical baits, 112
cantharidin
contamination, cultural control, 398
equipment, 398
carbaryl, loblolly pine, 558
southern pine beetle, 551
spruce beetle, 551
white spruce, 558
carbofuran, metabolism, 237
toxicity, 237
Carpophilus, attraction, 864

pheromone combination, 864
cat flea, *Ctenocephalides felis*, 903
insect growth regulator, 903
cattle, Haematobia irritans, 666
weight gain, 666
celery, aphids, 294
distribution, 294
Ceratitis capitata, *Anastrepha ludens*, 1307
Bactrocera dorsalis, 620
colonization, 620
mass rearing, 569
pH, 569
trapping, 1307
Chaetocnema pulicaria, sampling, 1324
sweet corn, 1324
chemical additives, *Bacillus thuringiensis*, 815
Mamestra configurata, 815
chlorpyrifos, airborne residues, 918
contact, 725
Diuraphis noxia, 725
microencapsulated, 918
permethrin, 1684
propetamphos, 1684
Choristoneura fumiferana, *Bacillus thuringiensis*, 97
resistance, 97
Choristoneura rosaceana, *Bacillus thuringiensis*, 610
larval susceptibility, 610
Christmas trees, bark beetles, 693
Tomicus piniperda, 693
chrysanthemum, *Frankliniella occidentalis*, 1746
thrips, 1746
Chrysomelidae, antibiosis, 1482
Diabrotica virgifera virgifera, 1482
citrus, host-plant resistance, 148
weevil, 148
Clastoptera achatina, *Clastoptera obtusa*, 1641
morphology, 1641
Clastoptera obtusa, *Clastoptera achatina*, 1641
morphology, 1641
clover root curculio, alfalfa, 1433
rearing, 407
Sitona hispidulus, 407, 1433
cobalt 60, *Cylas formicarius*, 688
postharvest control, 688
Coccinellidae, insecticides, 358
Stethorus punctum, 358
codlemone, *Cydia pomonella*, 1425
E8,E10—dodecadienol, 1425
colonization, *Bactrocera dorsalis*, 620
Ceratitis capitata, 620
Colorado potato beetle, expert system, 944
insect management, 944
insecticide resistance, 480
integrated pest management, 1650
Leptinotarsa decemlineata, 1203
propane flamer, 1203
sampling, 1650
transgenic plants beetle, 480
Coniesta ignefusalis, *Pennisetum glaucum*, 65
pheromone, 65
contact, chlorpyrifos, 725
Diuraphis noxia, 725
control sample, efficacy trial, 441
estimated sample size, 441
controlled atmospheres, high temperature, 1365
quarantine treatment, 331
Tetranychus urticae, 331
Tortricidae, 1365
Coptotermes formosanus, dose independent lethal time, 1343
Isoptera, 1690
Reticulitermes flavipes, 1690
termite bait, 1343
corn, host plant resistance, 1044
Ostrinia nubilalis, 1044
corn earworm, adult control, 1271
biological control, 58
feeding behavior, 1271
Steinernema riobravis, 58
correlated data, bioassay, 1510
probit analysis, 1510
cortisol, *Amblyomma americanum*, 1679

nitrogen, 1679
cost efficiency, *Bemisia argentifolii*, 1666
Bemisia tabaci, 1666
cotton, *Aphis gossypii*, 749
host plant resistance, 749
cross-resistance, *Bacillus thuringiensis*, 1545
buprofezin, 763
Heliothis virescens, 1545
Trialeurodes vaporariorum, 763
cryolite, *Leptinotarsa decemlineata*, 1408
potatoes, 1408
Cryptolestes, *Sitophilus*, 1024
Tribolium, 1024
Cryptophlebia illepida, *Cryptophlebia ombrodelta*, 1337
sampling, 1337
Cryptophlebia ombrodelta, *Cryptophlebia illepida*, 1337
sampling, 1337
Ctenocephalides felis, cat flea, 903
insect growth regulator, 903
Cucumis melo, *Bemisia argentifolii*, 1726, 1733
Bemisia tabaci, 1726, 1733
Culex quinquefasciatus, *Bacillus sphaericus*, 525
field resistance, 525
cultivar, *Diuraphis noxia*, 169
irrigation, 169
cultural control, *Agrotis ipsilon*, 1292
cantharidin contamination, 398
equipment, 398
overhead irrigation, 162
Plutella xylostella, 162
turfgrass, 1292
Cyclocephala lurida, Japanese beetle, 1049
Popillia japonica, 1049, 1380
Scarabaeidae, 1380
Cydia Pomonella, apple, 708
avermectins, 708
codlemone, 1425
dietary casein, 33
E8, E10—dodecadienol, 1425
heat treatment, 1371
oils, 140
ovicides, 140
protease inhibitors, 33
Tortricidae, 1371
Cylas formicarius, cobalt 60, 688
postharvest control, 688
cysteine, alfalfa weevil, 1586
proteinase inhibitors, 1586

D

damage assessment, *Brevipalpus phoenicis*, 283
tea, 283
demography, ecotoxicology, 1089
pea aphids, 1089
Dendroctonus frontalis, *Dendroctonus rufipennis*, 543
inhibitor, 1703
residual toxicokinetics, 543
semiochemicals, 1703
Dendroctonus pseudotsugae, *Thanasimus undatulus*, 106
trapping, 106
Dendroctonus rufipennis, *Dendroctonus frontalis*, 543
residual toxicokinetics, 543
detection methods, *Blattella germanica*, 536
insecticide resistance, 536
deterrent, antibiosis, 1037
Helicoverpa zea, 1037
detoxification, resistance inheritance, 1097
Typhlodromus pyri, 1097
developmental rates, developmental thresholds, 734
Plodia interpunctella, 734
developmental thresholds, developmental rates, 734
Plodia interpunctella, 734
Diabrotica, eastern gamagrass, 1801
maize, 1801
Diabrotica undecimpunctata howardi, peanuts, 1754
semiochemical baits, 1754
Diabrotica virgifera virgifera, antibiosis, 1482
bait, 716
Chrysomelidae, 1482

egg survival, 1445
overwintering, 1445
semiochemical, 716
diapause, bet hedging, 1256
spittlebug, 1256
Diatraea, eureuma, 628
seasonality, 628
dicofol, bioassay, 1120
formulation, 1129
Phyllocoptruta oleivora, 1120, 1129
dietary casein, *Cydia pomonella*, 33
protease inhibitors, 33
diflubenzuron, *Spodoptera exigua*, 777
teflubenzuron, 777
dimethoate, red sphere traps, 700
Rhagoletis pomonella, 700
Dioryctria abietivorella, Lepidoptera, 640
rearing seed orchard, 640
disinfestation, fumigant, 326
grain, 326
irradiation, 1361
Tetranychus urticae, 1361
distribution, aphids, 294
celery, 294
Diuraphis noxia, *Aphis*, 986
chlorpyrifos, 725
contact, 725
cultivar, 169
host-plant maturity, 635
irrigation, 169
parasite, 1177
perennial grasses, 635
plant resistance, 1503
potato virus Y, 986
predator, 1177
resistance mechanisms, 1503
diversity, habitat manipulation, 1171
hover flies, 1171
dominant conditional lethal mutation, autocidal biological control, 1221
Drosophila, insecticide resistance, 1138, 1158
malathion, 1138
organophosphate, 1158
Drosophila melanogaster, 1221
dose independent lethal time, *Coptotermes formosanus*, 1343
termite bait, 1343
droplet size, *Myzus persicae*, 1560
Nebria brevicollis, 1560
Drosophila melanogaster, autocidal biological control, 1221
dominant conditional lethal mutation, 1221

E

E8, E10—dodecadienol, codlemone, 1425
E10—dodecadienol, *Cydia pomonella*, 1425
eastern gamagrass, *Diabrotica*, 1801
maize, 1801
economic injury, apple, 127, 973, 998
Eriosoma lanigerum, 127
Panonychus ulmi, 998
Typhlocyba pomaria, 973
economic threshold, *Allium cepa*, 1401
Thrips tabaci, 1401
ecotoxicology, demography, 1089
pea aphids, 1089
Edwardsiana rosae, apple, 1012
rose leafhopper, 1012
efficacy trial, control sample, 441
estimated sample size, 441
egg-neonate bioassay, integrated pest management, 246
Ostrinia nubilalis, 246
egg survival, *Diabrotica virgifera virgifera*, 1445
overwintering, 1445
Elasmopalpus lignosellus, lesser cornstalk borer, 606
peanuts, 606
Encarsia citrina, *Hemiberlesia rapax*, 1634
Signiphora merceti, 1634
Encarsia formosa, biorational insecticides, 1611
whiteflies, 1611
endopeptidase inhibitors, *Apis mellifera*, 46
pest-resistant transgenic plants, 46
endophyte, *Festuca arundinacea*, 367
turfgrass, 367
Eoscarta carnifex, froghoppers, 1301

sugarcane, 1301
Epilachna varivestis,
Mexican bean beetle, 175
potassium, 430
Epilachna varivestis,
soybean, 175
soybean resistance, 430
Epiphyas postivittana,
plant extracts, 1566
toxicity, 1566
equipment, cantharidin contamination, 398
cultural control, 398
Eriosoma lanigerum,
apple, 127
economic injury, 127
esterase, glutathione S-transferases, 768
Haematobia irritans, 1186
insecticide resistance, 768
resistance, 1186
Reticulitermes flavipes, 574
termites, 574
estimated sample size, control sample, 441
efficacy trial, 441
eugenol, beetle monitoring, 415
Scarabaeidae, 415
Eulophus pennicornis,
benzoylphenyl ureas, 600
Mamestra brassicae, 600
eureuma, *Diatraea*, 628
seasonality, 628
European corn borer,
biological control, 1616
lectins, 1197
Trichogramma, 1616
Western corn rootworm, 1197
Exomala orientalis,
Popillia japonica, 1251
Steinernema glaseri, 1251
expert system, Colorado potato beetle, 944
insect management, 944

F

Fagopyrum esculentum,
Apis mellifera, 1739
pollination, 1739
fall-calving cows, calf weight gain, 81
Haematobia irritans, 81
feeder heifers, long-term exposure, 1349
Stomoxys calcitrans, 1349
feeding behavior, adult control, 1271
Apis mellifera, 798
brood pheromone, 798
corn earworm, 1271
feeding preferences, longevity, 1591
pollen, 1591
feeding study, *Bacillus thuringiensis kurstaki*, 1376
Lymantria dispar, 1376
fenoxycarb, *Cacopsylla pyricola*, 1420
pyriproxyfen, 1420
fenvalerate, *Frankliniella occidentalis*, 531
resistance, 531
Festuca arundinacea,
endophyte, 367
turfgrass, 367
field crops, forecasting, 855
Lygus species, 855
field resistance, *Bacillus sphaericus*, 525
Culex quinquefasciatus, 525
fire ants, *Solenopsis richteri*, 1233
Thelohania solenopsae, 1233
flight, boll weevil, 1631
sterility, 1631
floating row cover, pollination bags, 393
red ginger, 393
forage consumption, *Bouteloua gracilis*, 1455
grasshopper, 1455
forecasting, field crops, 855
Lygus species, 855
formulation, dicofol, 1129
Phyllocoptruta oleivora, 1129
Frankliniella, sequential sampling, 1658
tomato, 1658
Frankliniella occidentalis,
background color, 288
chrysanthemum, 1746
fenvalerate, 531
insecticide, 1164
Lycopersicon, 1057
nectarine, 1004
resistance, 531, 1164
thrips, 1004, 1746
tomato spotted wilt tospovirus, 1057
trap shape, 288
froghoppers, *Eoscarta carnifex*, 1301
sugarcane, 1301
fruit coating, *Anastrepha suspensa*, 1353
postharvest treatment, 1353

fruit quality, action threshold level, 959
Typhlocyba pomaria, 959
fumigant, disinfestation, 326
grain, 326
structural fumigation, 649
termite control, 649

G

gamma radiation, *Pseudaletia separata*, 1626
sperm use pattern, 1626
genetic correlation, behavioral avoidance, 447
insecticide resistance, 447
genetic resistance, *Acarapis woodi*, 584
Apis mellifera, 584
genetically marked, German cockroach, 1542
susceptible strain, 1542
genetics, insecticide resistance, 219
resistance management, 219
German cockroach, genetically marked, 1542
susceptible strain, 1542
glutathione S-transferases, esterase, 768
insecticide resistance, 768
grain, disinfestation, 326
fumigant, 326
grasshopper, *Bouteloua gracilis*, 1455
forage consumption, 1455
growth inhibition, host plant resistance, 1783
malic acid, 1783
gypsy moth, binomial egg mass sampling, 890
Lymantria dispar, 890
nuclear polyhedrosis virus, 1602
optical brightener, 1602

H

habitat manipulation, diversity, 1171
hover flies, 1171
Haematobia irritans, calf weight gain, 81
cattle, 666
esterases, 1186
fall-calving cows, 81
insecticide resistance, 654
metabolic resistance, 1531
oxidase, 520
pyrethroid, 1531
resistance, 1186
resistance management, 520
resistance testing, 654
weight gain, 666
heat treatment, *Cydia pomonella*, 1371
Tortricidae, 1371
helicopter releases, Mediterranean fruit fly, 1279
sterile insect technique, 1279
Helicoverpa armigera, *Helicoverpa zea*, 77, 1288
insecticide resistance, 771
interspecific mating, 1288
mating, 77
Pakistan, 771
Helicoverpa zea, amitraz, 1580
antibiosis, 1037, 1795
deterrent, 1037
Helicoverpa armigera, 77, 1288
host plant resistance, 755
insect viruses, 265
interspecific mating, 1288
mating, 77
maysin, 755
microbial control, 380
optical brightener, 265
Ostrinia nubilalis, 380
permethrin, 1580
Zea mays, 1795
Heliothis virescens, *Bacillus thuringiensis*, 1545
biodegradable insecticides, 487
cross-resistance, 1545
insecticide resistance, 505, 1144
insecticide resistance monitoring, 487
insecticides, 1150
monitoring insecticide resistance, 1144
resistance, 1150
tobacco budworm, 505
Hemiberlesia rapax, *Encarsia citrina*, 1634
Signiphora merceti, 1634

hexythiazox, organotins, 1517
twospotted spider mite, 1517
high temperature, controlled atmospheres, 1365
Tortricidae, 1365
host plant resistance, *Aphis gossypii*, 749
corn, 1044
cotton, 749
growth inhibition, 1783
Helicoverpa zea, 755
malic acid, 1783
maysin, 755
Ostrinia nubilalis, 1044
host-plant maturity, *Diuraphis noxia*, 635
perennial grasses, 635
host-plant resistance, citrus, 148
weevil, 148
hot water, quarantine, 1356
Tortricidae, 1356
house fly, parasitoids, 659
stable fly, 659
hover flies, diversity, 1171
habitat manipulation, 1171
Hydrotaea aenescens, *Ophyra aenescens*, 1238
rearing, 1238
Hypera punctata, injury guild, 1441
pest management, 1441
Hypothenemus hampei, insecticide resistance, 470
sex ratio bias, 470

I

infestation-free quarantine procedure, avocado, 85
Bactrocera dorsalis, 85
inhibitor, *Dendroctonus frontalis*, 1703
semiochemicals, 1703
injury guild, *Hypera punctata*, 1441
pest management, 1441
insect control, red sphere traps, 117
Rhagoletis pomonella, 117
insect ecology, alfalfa, 859
Otiorhynchus ligustici, 859
insect growth regulator, cat flea, 903
Ctenocephalides felis, 903
juvenile hormone, 1695
Monomorium pharaonis, 1695
insect management, Colorado potato beetle, 944
expert system, 944
insect-plant interactions, *Schizaphis graminum*, 421
Sorghum bicolor, 421
insect resistance, acylsugars, 742
Lycopersicon pennellii, 742
insect viruses, *Helicoverpa zea*, 265
optical brightener, 265
insecticidal bait, abamectin, 924
Blattella germanica, 924
insecticide, *Aonidiella*, 495
Bacillus thuringiensis, 788
biological control, 192, 1570
behavioral avoidance, 447
behavioral response, 461
Blattella germanica, 536
Coccinellidae, 358
Colorado potato beetle, 480
detection methods, 536
Drosophila, 1138, 1158
esterase, 768
Frankliniella occidentalis, 1164
genetic correlation, 447
genetics, 219
glutathione S-transferases, 768
Haematobia irritans, 654
Helicoverpa armigera, 771
Heliothis virescens, 505, 1144, 1150
Hypothenemus hampei, 470
lethal concentration, 11
Liriomyza, 192
Lucilia cuprina, 782
malathion, 1138
monitoring insecticide resistance, 1144
monooxygenase, 782
organophosphate, 1158
Pakistan, 771
Plutella xylostella,

461, 788
predator, 241
resistance, 1164, 1150, 1570
resistance management, 219
resistance testing, 654
scale insects, 495
sex ratio bias, 470
silverleaf whitefly, 564
slope, 11
Stethorus punctum, 358
stored products, 241
sweetpotato whitefly, 564
tobacco budworm, 505
transgenic plants beetle, 480
insecticide resistance monitoring,
biodegradable insecticides, 487
Heliothis virescens, 487
insecticide tolerance monitoring,
Anthonomus grandis grandis, 198
boll weevil, 198
integrated pest management, Colorado potato beetle, 1650
egg-neonate bioassay, 246
Ostrinia nubilalis, 246
sampling, 1650
interspecific mating,
Helicoverpa armigera, 1288
Helicoverpa zea, 1288
ionic thiocyanates, *Limonius californicus*, 793
rapeseed, 793
irradiation, disinfestation, 1361
Tetranychus urticae, 1361
irrigation, cultivar, 169
Diuraphis noxia, 169
Isoptera, *Coptotermes formosanus*, 1690
Reticulitermes flavipes, 1690
isothiocyanates, biofumigation, 1192
Otiorhynchus sulcatus, 1192

J

Japanese beetle, *Cyclocephala lurida*, 1049
Popillia japonica, 846, 979, 1049
Scarabaeidae, 979
turfgrass, 846
juvenile hormone, *Aphis gossypii*, 254
insect growth regulator, 1695
Monomorium pharaonis, 1695
piperonyl butoxide, 254

L

landscape ecology, canonical correlation, 307
Periplaneta fuliginosa, 307
larval susceptibility, *Bacillus thuringiensis*, 610
Choristoneura rosaceana, 610
lectins, European corn borer, 1197
Western corn rootworm, 1197
Lepidoptera, *Dioryctria abietivorella*, 640
management, 185
rearing seed orchard, 640
scales, 185
Leptinotarsa decemlineata, *Bacillus thuringiensis*, 21
behavioral ecology, 870
Colorado potato beetle, 1203
cryolite, 1408
mapping, 1069
Myiopharus doryphorae, 870
potato, 155, 1408
propane flamer, 1203
resistance, 21
sampling, 1069
treatment threshold, 155
Leptinotarsa texana, *Bacillus thuringiensis tenebrionis*, 1596
bioassay, 1596
lesser cornstalk borer, *Elasmopalpus lignosellus*, 606
peanuts, 606
lesser grain borer, red flour beetle, 1764
rice weevil, 1764
lethal concentration, insecticide resistance, 11
slope, 11
Limonius californicus, ionic thiocyanates, 793
rapeseed, 793
Liriomyza, biological control, 192, 475
insecticide resistance, 192

pesticide resistance, 475
Liriomyza trifolii, avermectins, 1415
bioassay, 1415
loblolly pine, carbaryl, 558
white spruce, 558
long-term exposure, feeder heifers, 1349
Stomoxys calcitrans, 1349
longevity, feeding preferences, 1591
pollen, 1591
loss assessment, Malayian black bug, 1466
rice, 1466
Lucilia cuprina, insecticide resistance, 782
monooxygenase, 782
Lycopersicon, *Bemisia*, 1494
Frankliniella occidentalis, 1057
tomato spotted wilt tospovirus, 1057
whitefly, 1494
Lycopersicon pennellii, acylsugars, 742
insect resistance, 742
Lygus species, field crops, 855
forecasting, 855
Lymantria dispar, *Bacillus thuringiensis*, 278
Bacillus thuringiensis kurstaki, 1376
baculovirus, 825
binomial egg mass sampling, 890
feeding study, 1376
gypsy moth, 890
Lymantria mathura, 337
Lymantria monacha, 337
methoprene, 825
Populus tremuloides, 278
reproductive biology, 644
suppression, 644
Lymantria mathura, *Lymantria dispar*, 337
Lymantria monacha, 337
Lymantria monacha, *Lymantria dispar*, 337
Lymantria mathura, 337

M

maize, *Diabrotica*, 1801
eastern gamagrass, 1801
Ostrinia nubilalis, 1316
sampling, 1316
malathion, *Drosophila*, 1138
insecticide resistance, 1138
Malayian black bug, loss assessment, 1466
rice, 1466
malic acid, growth inhibition, 1783
host plant resistance, 1783
Mamestra brassicae, benzoylphenyl ureas, 600
Eulophus pennicornis, 600
Mamestra configurata, *Bacillus thuringiensis*, 815
chemical additives, 815
management, lepidoptera, 185
scales, 185
mapping, *Leptinotarsa decemlineata*, 1069
sampling, 1069
mass rearing, *Ceratitis capitata*, 569
pH, 569
mating, *Helicoverpa armigera*, 77
Helicoverpa zea, 77
maysin, *Helicoverpa zea*, 755
host plant resistance, 755
Medicago sativa, *Acyrthosiphon kondoi*, 1461
biotype, 1461
Mediterranean fruit fly, helicopter releases, 1279
sterile insect technique, 1279
Megachile rotundata, *Ascosphaera aggregata*, 810
rearing, 810
Megastigmus spermotrophus, monitoring, 955
seed orchard, 955
metabolic resistance, *Haematobia irritans*, 1531
pyrethroid, 1531
metabolism, carbofuran, 237
toxicity, 237
Metarhizium anisopliae, *Beauveria bassiana*, 937
Camponotus pensylvanicus, 937
Metaseiulus occidentalis, Acari, 205
premating isolation, 205

methoprene, baculovirus, 825
Lymantria dispar, 825
methyl parathion, *Musca domestica*, 27
resistance, 27
Mexican bean beetle, *Epilachna varivestis*, 175
soybean, 175
microbial control, *Helicoverpa zea*, 380
Ostrinia nubilalis, 380
microencapsulated, airborne residues, 918
chlorpyrifos, 918
mitochondrial DNA, allozymes, 1216
Apis mellifera, 1216
monitoring, *Megastigmus spermotrophus*, 955
seed orchard, 955
monitoring insecticide resistance, *Heliothis virescens*, 1144
insecticide resistance, 1144
Monomorium pharaonis, insect growth regulator, 1695
juvenile hormone, 1695
Mononychellus progresivus, *Oligonychus gossypii*, 1296
sampling, 1296
monooxygenase, insecticide resistance, 782
Lucilia cuprina, 782
morphology, *Clastoptera achatina*, 1641
Clastoptera obtusa, 1641
Musca domestica, methyl parathion, 27
resistance, 27
mycotoxins, *Sitophilus zeamais*, 1776
stored products, 1776
Myiopharus doryphorae, behavioral ecology, 870
Leptinotarsa decemlineata, 870
Myzus persicae, droplet size, 1560
Nebria brevicollis, 1560

N

narrow-range oil, *Aonidella*, 1717
buprofezin, 1717
natural variation, quality control, 1
resistance, 1
Nebria brevicollis, droplet size, 1560
Myzus persicae, 1560
nectarine, *Frankliniella occidentalis*, 1004
thrips, 1004
nitrogen, *Amblyomma americanum*, 1679
Bemisia argentifolii, 1388
cortisol, 1679
plant nitrogen, 1388
Noctuidae, *Bacillus thuringiensis*, 270
tannic acid, 270
nonsteroidal ecdysteroid mimics, *Podisus*, 40
selective toxicity, 40
Nu-Lure, *Anastrepha suspensa*, 669
attractant, 669
nuclear polyhedrosis virus, gypsy moth, 1602
optical brightener, 1602
numbers captured, *Pectinophora gossypiella*, 1263
weather, 1263

O

oils, *Cydia pomonella*, 140
ovicides, 140
Oligonychus gossypii, *Mononychellus progresivus*, 1296
sampling, 1296
Oncastichus goughi, behavior, 387
sampling, 387
Ophyra aenescens, *Hydrotaea aenescens*, 1238
rearing, 1238
optical brightener, gypsy moth, 1602
Helicoverpa zea, 265
insect viruses, 265
nuclear polyhedrosis virus, 1602
organophosphate, *Drosophila*, 1158
insecticide resistance, 1158
organotins, hexythiazox, 1517
twospotted spider mite, 1517
Osmia sanrafaelae, bee nesting, 592
sex ratio, 592
Ostrinia nubilalis, corn, 1044
egg-neonate bioassay, 246
Helicoverpa zea, 380
host plant resistance, 1044
integrated pest management, 246
maize, 1316
microbial control, 380
parasitoid, 1243

quality control, 1243
sampling, 1316
Otiorhynchus ligustici, alfalfa, 859
insect ecology, 859
Otiorhynchus sulcatus, biofumigation, 1192
isothiocyanates, 1192
overhead irrigation, cultural control, 162
Plutella xylostella, 162
overwintering, *Diabrotica virgifera virgifera*, 1445
egg survival, 1445
ovicides, *Cydia pomonella*, 140
oils, 140
oviposition, *Bemisia argentifolii*, 992
sweetpotato whitefly, 992
oxidase, *Haematobia irritans*, 520
resistance management, 520

P

Pakistan, *Helicoverpa armigera*, 771
insecticide resistance, 771
Panonychus ulmi, apple, 998
economic injury, 998
papayas, quarantine treatment, 678
tephritid fruit flies, 678
parasite, *Diuraphis noxia*, 1177
predator, 1177
parasitoid, house fly, 659
Ostrinia nubilalis, 1243
quality control, 1243
stable fly, 659
pea aphids, demography, 1089
ecotoxicology, 1089
peanuts, *Diabrotica undecimpunctata howardi*, 1754
Elasmopalpus lignosellus, 606
lesser cornstalk borer, 606
semiochemical baits, 1754
Pectinophora gossypiella, numbers captured, 1263
Spodoptera exigua, 835
Trichoplusia ni, 835
weather, 1263
Pennisetum glaucum, *Coniesta ignefusalis*, 65
pheromone, 65
perennial grasses, *Diuraphis noxia*, 635
host-plant maturity, 635
peridomestic cockroaches, pest management, 907
trapping-out, 907
Periplaneta fuliginosa, canonical correlation, 307
landscape ecology, 307
permethrin, amitraz, 1580
chlorpyrifos, 1684
Helicoverpa zea, 1580
propetamphos, 1684
resistance, 1536
soybean looper, 1536
pest management, *Acarapis woodi*, 805
Apis mellifera, 805, 1211
Hypera punctata, 1441
injury guild, 1441
peridomestic cockroaches, 907
Rhagoletis mendax, 134
trapping-out, 907
traps, 134
Varroa jacobsoni, 1211
pest-resistant transgenic plants, *Apis mellifera*, 46
endopeptidase inhibitors, 46
pesticide resistance, biological control, 475
Liriomyza, 475
pH, *Ceratitis capitata*, 569
mass rearing, 569
phenology, *Phyllonorycter blancardella*, 875
sequential sampling, 875
pheromone, *Coniesta ignefusalis*, 65
Pennisetum glaucum, 65
pheromone combination, attraction, 864
Carpophilus, 864
pheromone mating disruption, *Rhopobota naevana*, 1017
Vaccinium macrocarpon, 1017
Phthorimaea operculella, *Bacillus thuringiensis*, 1469
sampling, 1332
spatial distribution, 1332
transgenic resistance, 1469
Phyllocoptruta oleivora, bioassay, 1120

dicofol, 1120, 1129
formulation, 1129
Phyllonorycter blancardella,
phenology, 875
sequential sampling, 875
physiological response, *Amblyomma maculatum*, 320
beef steers, 320
Phytoseiulus persimilis, abamectin, 343
Tetranychus urticae, 343
Picea sitchensis, *Pissodes strobi*, 1525
resistance, 1525
piperonyl butoxide, *Aphis gossypii*, 254
juvenile hormones, 254
Pissodes strobi, *Picea sitchensis*, 1525
resistance, 1525
plant extracts, *Epiphyas postivittana*, 1566
toxicity, 1566
plant nitrogen, *Bemisia argentifolii*, 1388
nitrogen fertilizer, 1388
plant resistance, Acari, 1032
Diuraphis noxia, 1503
resistance mechanisms, 1503
wheat streak mosaic, 1032
Plodia interpunctella, developmental rates, 734
developmental thresholds, 734
Plutella xylostella, *Bacillus thuringiensis*, 788
Bacillus thuringiensis subspecies, 1113
behavioral response, 461
cultural control, 162
insecticide resistance, 461, 788
overhead irrigation, 162
resistance, 1113
Podisus, nonsteroidal ecdysteroid mimics, 40
selective toxicity, 40
pollen, feeding preferences, 1591
longevity, 1591
pollen-hoarding, *Apis mellifera*, 51
selection, 51
pollination, *Apis mellifera*, 965, 1739
apple, 965
Fagopyrum esculentum, 1739
pollination bags, floating row cover, 393
red ginger, 393
Popillia japonica, *Cyclocephala lurida*, 1049, 1380
Exomala orientalis, 1251
Japanese beetle, 846, 979, 1049
Scarabaeidae, 979, 1380
Steinernema glaseri, 1251
turfgrass, 846
Populus tremuloides, *Bacillus thuringiensis*, 278
Lymantria dispar, 278
postharvest control, cobalt 60, 688
Cylas formicarius, 688
postharvest treatment, *Anastrepha suspensa*, 1353
fruit coating, 1353
potassium, *Epilachna varivestis*, 430
soybean resistance, 430
potato, *Leptinotarsa decemlineata*, 155
treatment threshold, 155
cryolite, 1408
Leptinotarsa decemlineata, 1408
potato virus Y, *Aphis*, 986
Diuraphis noxia, 986
predator, *Diuraphis noxia*, 1177
insecticide resistance, 241
parasite, 1177
stored products, 241
predator-prey ratios, biological control, 352
Tetranychus urticae, 352
preference, *Bemisia argentifolii*, 70
survivorship, 70
premating isolation, Acari, 205
Metaseiulus occidentalis, 205
presence-absence, binomial sampling, 897
sequential sampling, 897
probit analysis, bioassay, 1510, 1513
correlated data, 1510
transformation, 1513
propane flamer, Colorado potato beetle, 1203
Leptinotarsa

decemlineata, 1203
propetamphos,
chlorpyrifos, 1684
permethrin, 1684
protease inhibitors, *Cydia pomonella*, 33
dietary casein, 33
protectants, *Bracon hebetor*, 512
resistance, 512
proteinase inhibitors,
alfalfa weevil, 1586
cysteine, 1586
Pseudaletia separata,
gamma radiation, 1626
sperm use pattern, 1626
pyrethroid, bollworm, 213
budworm, 213
Haematobia irritans, 1531
metabolic resistance, 1531
pyrethroid resistance,
Bacillus thuringiensis, 1607
Bovicola (Damalinia) ovis, 1607
pyriproxyfen, *Cacopsylla pyricola*, 1420
fenoxycarb, 1420

Q

quality control, natural variation, 1
Ostrinia nubilalis, 1243
parasitoid, 1243
resistance, 1
quarantine, hot water, 1356
Tortricidae, 1356
quarantine treatment,
Averrhoa carambola, 683
controlled atmospheres, 331
papayas, 678
tephritid fruit flies, 678, 683
Tetranychus urticae, 331

R

rapeseed, ionic thiocyanates, 793
Limonius californicus, 793
rearing, *Ascosphaera aggregata*, 810
clover root curculio, 407
Hydrotaea aenescens, 1238
Megachile rotundata, 810
Ophyra aenescens, 1238
Sitona hispidulus, 407
rearing seed orchard,
Dioryctria abietivorella, 640
Lepidoptera, 640
recombinant nuclear polyhedrosis virus, baculovirus, 259
risk assessment, 259
red flour beetle, lesser grain borer, 1764
rice weevil, 1764
red ginger, floating row cover, 393
pollination bags, 393
red sphere traps,
dimethoate, 700
insect control, 117
Rhagoletis pomonella, 117, 700
reproductive biology,
Lymantria dispar, 644
suppression, 644
residual toxicokinetics,
Dendroctonus frontalis, 543
Dendroctonus rufipennis, 543
resistance,
Anisopteromalus, 232
Arachnida, 1106
Bacillus thuringiensis, 21, 97, 454
Bacillus thuringiensis subspecies, 1113
biological control, 1570
Bracon, 232
Bracon hebetor, 512
Choristoneura fumiferana, 97
esterases, 1186
fenvalerate, 531
Frankliniella occidentalis, 531, 1164
Haematobia irritans, 1186
Heliothis virescens, 1150
insecticide, 1150, 1570, 1164
Leptinotarsa decemlineata, 21
methyl parathion, 27
Musca domestica, 27
natural variation, 1
permethrin, 1536
Picea sitchensis, 1525
Pissodes strobi, 1525
Plutella xylostella, 1113
protectants, 512
quality control, 1
resistance management, 454
soybean looper, 1536
Tetranychus urticae, 1106

resistance inheritance,
detoxification, 1097
Typhlodromus pyri, 1097
resistance management,
Bacillus thuringiensis, 454
genetics, 219
Haematobia irritans, 520
insecticide resistance, 219
oxidase, 520
resistance, 454
resistance mechanisms,
Diuraphis noxia, 1503
plant resistance, 1503
resistance monitoring, abamectin, 225
Tetranychus urticae, 225
resistance testing,
Haematobia irritans, 654
insecticide resistance, 654
Reticulitermes flavipes, *Coptotermes formosanus*, 1690
esterase, 574
Isoptera, 1690
termites, 574
Rhagoletis mendax, pest management, 134
traps, 134
Rhagoletis pomonella, dimethoate, 700
insect control, 117
red sphere traps, 117, 700
Rhopobota naevana, pheromone mating disruption, 1017
Vaccinium macrocarpon, 1017
rice, loss assessment, 1466
Malayian black bug, 1466
rice weevil, lesser grain borer, 1764
red flour beetle, 1764
risk assessment,
baculovirus, 259
recombinant nuclear polyhedrosis virus, 259
selective insecticides, 1081
topical toxicity, 1081
rose leafhopper, apple, 1012
Edwardsiana rosae, 1012

S

sampling, behavior, 387
Chaetocnema pulicaria, 1324
Colorado potato beetle, 1650
Cryptophlebia illepida, 1337
Cryptophlebia ombrodelta, 1337
integrated pest management, 1650
Leptinotarsa decemlineata, 1069
maize, 1316
mapping, 1069
Mononychellus progresivus, 1296
Oligonychus gossypii, 1296
Oncastichus goughi, 387
Ostrinia nubilalis, 1316
Phthorimaea operculella, 1332
spatial distribution, 1332
sweet corn, 1324
sampling techniques, *Bemisia tabaci*, 1393
cantaloupes, 1393
scale insects, *Aonidiella*, 495
insecticide resistance, 495
scales, lepidoptera, 185
management, 185
Scarabaeidae, beetle monitoring, 415
Cyclocephala lurida, 1380
eugenol, 415
Japanese beetle, 979
Popillia japonica, 979, 1380
Schizaphis graminum, insect-plant interactions, 421
Sorghum bicolor, 421
seasonality, *Diatraea*, 628
eureuma, 628
seed orchard, *Megastigmus spermotrophus*, 955
monitoring, 955
selection, *Apis mellifera*, 51
pollen-hoarding, 51
selective insecticides, risk assessment, 1081
topical toxicity, 1081
selective toxicity, nonsteroidal ecdysteroid mimics, 40
Podisus, 40
semiochemical, bait, 716
Dendroctonus frontalis, 1703
Diabrotica virgifera virgifera, 716
inhibitor, 1703
semiochemical baits, *Acalymma vittatum*,

112
cantaloupe, 112
Diabrotica undecimpunctata howardi, 1754
peanuts, 1754
sequential sampling, binomial sampling, 897
Frankliniella, 1658
phenology, 875
Phyllonorycter blancardella, 875
presence-absence, 897
tomato, 1658
sex ratio, bee nesting, 592
Osmia sanrafaelae, 592
sex ratio bias, *Hypothenemus hampei*, 470
insecticide resistance, 470
Signiphora merceti, *Encarsia citrina*, 1634
Hemiberlesia rapax, 1634
silverleaf whitefly, insecticide, 564
sweetpotato whitefly, 564
Sitona hispidulus, alfalfa, 1433
clover root curculio, 407, 1433
rearing, 407
Sitophilus, *Cryptolestes*, 1024
Tribolium, 1024
Sitophilus zeamais, mycotoxins, 1776
stored products, 1776
Sitotroga cerealella, stored-product insects, 1771
Zanthoxylum bungeanum, 1771
slope, insecticide resistance, 11
lethal concentration, 11
Solenopsis richteri, fire ants, 1233
Thelohania solenopsae, 1233
Sorghum bicolor, insect-plant interactions, 421
Schizaphis graminum, 421
southern pine beetle, carbaryl, 551
spruce beetle, 551
soybean, *Epilachna varivestis*, 175
Mexican bean beetle, 175
soybean looper, permethrin, 1536
resistance, 1536
soybean resistance, *Epilachna varivestis*, 430
potassium, 430
spatial distribution, *Phthorimaea operculella*, 1332
sampling, 1332
sperm use pattern, gamma radiation, 1626
Pseudaletia separata, 1626
spittlebug, *Aeneolamia varia*, 1477
bet hedging, 1256
Brachiaria, 1477
diapause, 1256
Spodoptera exigua, *Bacillus thuringiensis*, 1787
diflubenzuron, 777
Pectinophora gossypiella, 835
teflubenzuron, 777
Trichoplusia ni, 835, 1787
spray device, *Cacopsylla pyricola*, 615
sugar ester, 615
spruce beetle, carbaryl, 551
southern pine beetle, 551
stable fly, house fly, 659
parasitoids, 659
Steinernema glaseri, *Exomala orientalis*, 1251
Popillia japonica, 1251
Steinernema riobravis, biological control, 58
corn earworm, 58
sterile insect technique, helicopter releases, 1279
Mediterranean fruit fly, 1279
sterility, boll weevil, 1631
flight, 1631
Stethorus punctum, Coccinellidae, 358
insecticides, 358
Stomoxys calcitrans, feeder heifers, 1349
long-term exposure, 1349
stored products, insecticide resistance, 241
mycotoxins, 1776
predator, 241
Sitophilus zeamais, 1776
stored-product insects, *Sitotroga cerealella*, 1771
Zanthoxylum bungeanum, 1771
structural fumigation, fumigant, 649
termite control, 649

subterranean termite, bait station, 932
termite monitoring station, 932
sugarcane, *Eoscarta carnifex*, 1301
froghoppers, 1301
sugar ester, *Cacopsylla pyricola*, 615
spray device, 615
suppression, *Lymantria dispar*, 644
reproductive biology, 644
survivorship, *Bemisia argentifolii*, 70
preference, 70
susceptible strain, genetically marked, 1542
German cockroach, 1542
sweet corn, *Chaetocnema pulicaria*, 1324
sampling, 1324
sweetpotato whitefly, *Bemisia argentifolii*, 992
insecticide, 564
oviposition, 992
silverleaf whitefly, 564

T

tannic acid, *Bacillus thuringiensis*, 270
Noctuidae, 270
tea, *Brevipalpus phoenicis*, 283
damage assessment, 283
teflubenzuron, diflubenzuron, 777
Spodoptera exigua, 777
tephritid fruit flies, *Averrhoa carambola*, 683
papayas, 678
quarantine treatment, 678, 683
termite bait, *Coptotermes formosanus*, 1343
dose independent lethal time, 1343
termite control, fumigant, 649
structural fumigation, 649
termite monitoring station, bait station, 932
subterranean termite, 932
termites, esterase, 574
Reticulitermes flavipes, 574
Tetranychus urticae, abamectin, 225, 343
Arachnida, 1106
biological control, 352
controlled atmospheres, 331
disinfestation, 1361
irradiation, 1361
Phytoseiulus persimilis, 343
predator-prey ratios, 352
quarantine treatment, 331
resistance, 1106
resistance monitoring, 225
Thanasimus undatulus, *Dendroctonus pseudotsugae*, 106
trapping, 106
Thelohania solenopsae, fire ants, 1233
Solenopsis richteri, 1233
threshold, binomial sampling, 302
cabbage looper equivalent, 302
thrips, chrysanthemum, 1746
Frankliniella occidentalis, 1004, 1746
nectarine, 1004
Thrips tabaci, *Allium cepa*, 1401
economic threshold, 1401
tobacco budworm, *Heliothis virescens*, 505
insecticide resistance, 505
tomato, *Frankliniella*, 1658
sequential sampling, 1658
tomato spotted wilt tospovirus, *Frankliniella occidentalis*, 1057
Lycopersicon, 1057
Tomicus piniperda, bark beetles, 693
Christmas trees, 693
topical toxicity, risk assessment, 1081
selective insecticides, 1081
Tortricidae, controlled atmospheres, 1365
Cydia pomonella, 1371
heat treatment, 1371
high temperature, 1365
hot water, 1356
quarantine, 1356
toxicity, carbofuran, 237
Epiphyas postivittana, 1566
metabolism, 237
plant extracts, 1566
transformation, bioassay, 1513
probit analysis, 1513

transgenic plants beetle, Colorado potato beetle, 480
Bacillus thuringiensis, 1469
insecticide resistance, 480
Phthorimaea operculella, 1469
trap shape, background color, 288
Frankliniella occidentalis, 288
trapping, *Anastrepha ludens*, 1307
Ceratitis capitata, 1307
Dendroctonus pseudotsugae, 106
Thanasimus undatulus, 106
trapping-out, peridomestic cockroaches, 907
pest management, 907
traps, pest management, 134
Rhagoletis mendax, 134
treatment threshold, *Leptinotarsa decemlineata*, 155
potato, 155
Trialeurodes vaporariorum, buprofezin, 763
cross-resistance, 763
Tribolium, *Cryptolestes*, 1024
Sitophilus, 1024
Trichogramma, biological control, 1616
European corn borer, 1616
Trichoplusia ni, *Bacillus thuringiensis*, 1787
Pectinophora gossypiella, 835
Spodoptera exigua, 835, 1787
turfgrass, *Agrotis ipsilon*, 1292
cultural control, 1292
endophyte, 367
Festuca arundinacea, 367
Japanese beetle, 846
Popillia japonica, 846
twospotted spider mite, hexythiazox, 1517
organotins, 1517
Typhlocyba pomaria, action threshold level, 959
apple, 973
economic injury, 973
fruit quality, 959
Typhlodromus pyri, detoxification, 1097
resistance inheritance, 1097

V

Vaccinium macrocarpon, pheromone mating disruption, 1017
Rhopobota naevana, 1017
Varroa jacobsoni, antibiotics, 1206
Apis mellifera, 1206, 1211
pest management, 1211
Vespula pensylvanica, alarm behavior, 579
Bombus sonorus, 579

W

weather, numbers captured, 1263
Pectinophora gossypiella, 1263
weevil, citrus, 148
host-plant resistance, 148
weight gain, cattle, 666
Haematobia irritans, 666
Western corn rootworm, European corn borer, 1197
lectins, 1197
wheat streak mosaic, Acari, 1032
plant resistance, 1032
white spruce, carbaryl, 558
loblolly pine, 558
whiteflies, *Bemisia*, 1494
biorational insecticides, 1611
Encarsia formosa, 1611
Lycopersicon, 1494

Z

Zanthoxylum bungeanum, *Sitotroga cerealella*, 1771
stored-product insects, 1771
Zea mays, antibiosis, 1795
Helicoverpa zea, 1795